



Safety Data Sheet OPTIBOND FL ADHESIVE

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : OPTIBOND FL ADHESIVE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Professional use

Function or use category : Dental materials.

Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

Kerr Italia S.r.l.
Via Passanti, 332
84018 Scafati (SA) - Italy
T +39-081-850-8311
[E-mail: safety@kerrhawe.com](mailto:safety@kerrhawe.com)

Manufacturer

Kerr Italia S.r.l.
Via Passanti, 332
84018 Scafati (SA) - Italy
T +39-081-850-8311
[E-mail: safety@kerrhawe.com](mailto:safety@kerrhawe.com)

Contact person : safety@kerrhawe.com - tel. 00-800-41-050-505 (08.00-17.00)

1.4. Emergency telephone number

Emergency number : CHEMTREC® Emergency Call Center. Emergency Telephone Number (for USA only) 001-800-424-9300 International and Maritime Telephone Number +1 (703) 527-3887

Country	Organisation/Company	Address	Emergency number
United Kingdom	National Poisons Information Service (Newcastle Unit)	Claremont Place Newcastle-upon-Tyne, Newcastle	+44 191 2606182/+44 191 2606180 24H

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Irrit. 2 H315

Eye Irrit. 2 H319

Skin Sens. 1 H317

Full text of classification categories and H statements : see section 16

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) : Warning

Hazardous ingredients : 2-hydroxyethyl methacrylate

Hazard statements (CLP) : H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation

Precautionary statements (CLP) : P261 - Avoid breathing spray, vapours, gas, fume, mist
P264 - Wash hands, forearms and face thoroughly after handling

P272 - Contaminated work clothing should not be allowed out of the workplace
 P280 - Wear eye protection, protective gloves
 P302+P352 - IF ON SKIN: Wash with plenty of soap and water
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 P332+P313 - If skin irritation occurs: Get medical advice/attention
 P333+P313 - If skin irritation or rash occurs: Get medical advice/attention
 P337+P313 - If eye irritation persists: Get medical advice/attention
 P362+P364 - Take off contaminated clothing and wash it before reuse
 P501 - Dispose of contents/container to ...

Extra phrases : The product is seen as a medical device and therefore not subject to labelling (EU-regulation 1907/2006, article 2, paragraph 6c).

2.3. Other hazards

Other hazards not contributing to the classification : None under normal conditions.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-hydroxyethyl methacrylate	(CAS No) 868-77-9 (EC no) 212-782-2 (EC index no) 607-124-00-X (REACH-no) 01-2119490169-29	=>15-<20	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1, H317
alkali fluorosilicates(Na)	(CAS No) 16893-85-9 (EC no) 240-934-8 (EC index no) 009-012-00-0 (REACH-no) 01-2119519245-43	=>1-<2	Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Oral), H301

Full text of H-statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

First-aid measures general : No particular/specific measures required.
 First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
 First-aid measures after skin contact : Gently wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.
 First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention if you feel unwell.
 First-aid measures after ingestion : If swallowed, rinse mouth with water (only if the person is conscious). Call a POISON CENTER or doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after skin contact : Causes skin irritation. May cause an allergic skin reaction.
 Symptoms/injuries after eye contact : Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. Foam, carbon dioxide (CO₂) and powder.
 Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Non flammable.
 Explosion hazard : Product is not explosive.
 Hazardous decomposition products in case of fire : Carbon dioxide. Carbon monoxide.

5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers.
 Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1. Personal precautions, protective equipment and emergency procedures**

- General measures : Avoid all eye and skin contact and do not breathe vapour and mist.

For non-emergency personnel

- Protective equipment : See Heading 8.
 Emergency procedures : Evacuate unnecessary personnel.

For emergency responders

No additional information available

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- For containment : Collect all waste in suitable and labelled containers and dispose according to local legislation.
 Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: HANDLING AND STORAGE**7.1. Precautions for safe handling**

- Precautions for safe handling : Do not eat, drink or smoke when using this product. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 Hygiene measures : Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed.
 Incompatible products : Oxidizing agent. Strong acids.
 Incompatible materials : Strong acids. Oxidizing substances.
 Storage area : Store in a well-ventilated place.

7.3. Specific end use(s)

Consult the supplier for further information.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1. Control parameters**

No additional information available

8.2. Exposure controls

- Appropriate engineering controls : Ensure good ventilation of the work station. Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.
 Personal protective equipment : Gloves. Safety glasses.
 Hand protection : Nitrile rubber gloves. PVC gloves. Polyvinylalcohol (PVA). Breakthrough time : 6 (> 480 minutes). Layer thickness : 0,2 - 0,4 mm. STANDARD EN 374.
 Eye protection : Safety glasses. STANDARD EN 166.
 Skin and body protection : Wear suitable protective clothing
 Respiratory protection : No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation



- Other information : Do not eat, drink or smoke during use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1. Information on basic physical and chemical properties**

Physical state	: Liquid
Colour	: Pale yellow.
Odour	: Fruity.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.1 g/cm ³
Solubility	: In water, material is partially soluble.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Product is not explosive.
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: STABILITY AND REACTIVITY**10.1. Reactivity**

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No polymerization.

10.4. Conditions to avoid

No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Oxidizing agent. Strong acids.

10.6. Hazardous decomposition products

No decomposition if stored normally.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1. Information on toxicological effects**

Acute toxicity : Not classified

2-hydroxyethyl methacrylate (868-77-9)

LD50 oral rat	5050 mg/kg
LD50 dermal rabbit	> 3000 mg/kg

alkali fluorosilicates(Na) (16893-85-9)

LD50 oral rat	125 mg/kg
---------------	-----------

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
-------------------	--

2-hydroxyethyl methacrylate (868-77-9)

LC50 fish 1	227 mg/l (96 hours - Pimephales promelas)
-------------	---

alkali fluorosilicates(Na) (16893-85-9)

LC50 fish 1	49 mg/l (96 hours - Lepomis macrochirus)
-------------	--

12.2. Persistence and degradability

OPTIBOND FL ADHESIVE

Persistence and degradability	No data available.
-------------------------------	--------------------

2-hydroxyethyl methacrylate (868-77-9)

Biodegradation	84 % (OECD 301D method)
----------------	-------------------------

12.3. Bioaccumulative potential

OPTIBOND FL ADHESIVE

Bioaccumulative potential	No data.
---------------------------	----------

2-hydroxyethyl methacrylate (868-77-9)

Bioconcentration factor (BCF REACH)	1,3 - 1,5
Log Pow	0.47

12.4. Mobility in soil

OPTIBOND FL ADHESIVE

Ecology - soil	In water, material is partially soluble.
----------------	--

12.5. Results of PBT and vPvB assessment

OPTIBOND FL ADHESIVE

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

Other adverse effects	: None to our knowledge.
Additional information	: No other effects known

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Regional legislation (waste)	: Dispose as hazardous waste.
Waste treatment methods	: Recover the product with absorbent material. Dispose of contents/container in accordance with licensed collector's sorting instructions.
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.
European List of Waste (LoW) code	: 18 01 06* - chemicals consisting of or containing dangerous substances

SECTION 14: TRANSPORT INFORMATION

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable
Proper Shipping Name (RID)	: Not applicable

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	: Not applicable
----------------------------------	------------------

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable

Packing group (IMDG) : Not applicable

Packing group (IATA) : Not applicable

Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user**- Overland transport**

No data available

- Transport by sea

No data available

- Air transport

No data available

Rail transport

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: REGULATORY INFORMATION**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU-Regulations**

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

National regulations

EC-regulation 453/2010/EC, 1907/2006/EC (REACH), 1272/2008/EC (CLP), 790/2009/EC. Transport of dangerous goods (ADR/RID, IMDG, IATA/ICAO). Workplace exposure limits.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

SECTION 16: OTHER INFORMATION

Indication of changes:

Hazards identification. Regulatory information.

2.1	Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]	Removed	
2.1	Hazard statements (CLP)	Removed	Acute Tox. 4: H302, Acute Tox. 4: H312, Acute Tox 4: H332
2.1	Hazard statements (CLP)	Added	Skin Irrit. 2: H315, Eye Irrit. 2: H319
2.2	Hazard statements (CLP)	Removed	Acute Tox. 4: H302, Acute Tox. 4: H312, Acute Tox. 4: H332

2.2	Hazard statements (CLP)	Added	Skin Irrit. 2: H315, Eye Irrit. 2: H319
3.2	Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]	Removed	

Data sources : EC-regulation 453/2010/EC, 1907/2006/EC (REACH), 1272/2008/EC (CLP), 790/2009/EC. Transport of dangerous goods (ADR/RID, IMDG, IATA/ICAO). Workplace exposure limits.

Date of issue : 19/09/2003

Revision date : 17/09/2015

Supersedes : 20/05/2014

Signature : A. Åsebø Murel

Full text of H- and EUH-statements:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, category 1
H301	Toxic if swallowed
H311	Toxic in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H331	Toxic if inhaled

The information in this safety data sheet is based on information from the manufacturer/supplier, present European and national legislation, and presupposes that the product is used within the specified area of application.



Safety Data Sheet OPTIBOND FL PRIMER

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : OPTIBOND FL PRIMER

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Professional use

Function or use category : Dental materials.

Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

Kerr Italia S.r.l.
Via Passanti, 332
84018 Scafati (SA) - Italy
T +39-081-850-8311
[E-mail: safety@kerrhawe.com](mailto:safety@kerrhawe.com)

Manufacturer

Kerr Italia S.r.l.
Via Passanti, 332
84018 Scafati (SA) - Italy
T +39-081-850-8311
[E-mail: safety@kerrhawe.com](mailto:safety@kerrhawe.com)

Contact person : safety@kerrhawe.com - tel. 00-800-41-050-505 (08.00-17.00)

1.4. Emergency telephone number

Emergency number : CHEMTREC® Emergency Call Center. Emergency Telephone Number (for USA only) 001-800-424-9300 International and Maritime Telephone Number +1 (703) 527-3887

Country	Organisation/Company	Address	Emergency number
United Kingdom	National Poisons Information Service (Newcastle Unit)	Claremont Place Newcastle-upon-Tyne, Newcastle	+44 191 2606182/+44 191 2606180 24H

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 2 H225
Skin Irrit. 2 H315
Eye Irrit. 2 H319
Skin Sens. 1 H317

Full text of classification categories and H statements : see section 16

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS07

Signal word (CLP) : Danger

Hazardous ingredients : 2-hydroxyethyl methacrylate

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation

Precautionary statements (CLP)	: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P233 - Keep container tightly closed P240 - Ground/bond container and receiving equipment P241 - Use explosion-proof electrical equipment P261 - Avoid breathing spray, vapours, gas, fume, mist P264 - Wash hands, forearms and face thoroughly after handling P272 - Contaminated work clothing should not be allowed out of the workplace P280 - Wear eye protection, protective gloves P302+P352 - IF ON SKIN: Wash with plenty of soap and water P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse P370+P378 - In case of fire: Use carbon dioxide (CO ₂), sand, extinguishing powder, foam for extinction P403+P235 - Store in a well-ventilated place. Keep cool P501 - Dispose of contents/container to ...
Extra phrases	: The product is seen as a medical device and therefore not subject to labelling (EU-regulation 1907/2006, article 2, paragraph 6c).

2.3. Other hazards

Other hazards not contributing to the classification : None under normal conditions.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-hydroxyethyl methacrylate	(CAS No) 868-77-9 (EC no) 212-782-2 (EC index no) 607-124-00-X (REACH-no) 01-2119490169-29	=>25-<30	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1, H317
ethanol, ethyl alcohol	(CAS No) 64-17-5 (EC no) 200-578-6 (EC index no) 603-002-00-5 (REACH-no) 01-2119457610-43	=>20-<25	Flam. Liq. 2, H225

Full text of H-statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

First-aid measures general	: No particular/specific measures required.
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: Gently wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention if you feel unwell.
First-aid measures after ingestion	: If swallowed, rinse mouth with water (only if the person is conscious). Call a POISON CENTER or doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after skin contact	: Causes skin irritation. May cause an allergic skin reaction.
Symptoms/injuries after eye contact	: Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

No specific measures identified.

SECTION 5: FIREFIGHTING MEASURES**5.1. Extinguishing media**

- Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. Foam, carbon dioxide (CO₂) and powder.
- Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Highly flammable liquid and vapour.
- Hazardous decomposition products in case of fire : Carbon dioxide. Carbon monoxide.

5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1. Personal precautions, protective equipment and emergency procedures**

- General measures : Do not eat, drink or smoke in areas where product is used. Avoid contact with skin and eyes.

For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

For emergency responders

No additional information available

6.2. Environmental precautions

Discharging into rivers and drains is forbidden.

6.3. Methods and material for containment and cleaning up

- For containment : Collect all waste in suitable and labelled containers and dispose according to local legislation.
- Methods for cleaning up : Large spills: scoop solid spill into closing containers. Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: HANDLING AND STORAGE**7.1. Precautions for safe handling**

- Precautions for safe handling : Do not eat, drink or smoke when using this product. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep only in original container. Keep container tightly closed.
- Incompatible products : Oxidizing agent. Strong acids.
- Incompatible materials : Oxidizing substances.
- Storage area : Store in a well-ventilated place.

7.3. Specific end use(s)

Consult the supplier for further information.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1. Control parameters**

ethanol, ethyl alcohol (64-17-5)		
United Kingdom	Local name	Ethanol
United Kingdom	WEL TWA (mg/m ³)	1920 mg/m ³
United Kingdom	WEL TWA (ppm)	1000 ppm

8.2. Exposure controls

- Appropriate engineering controls : Ensure good ventilation of the work station.
- Personal protective equipment : Gloves. Safety glasses.

Hand protection	: Wear suitable gloves. Nitrile rubber gloves. Layer thickness : 0,09mm. Breakthrough time : >480 min. STANDARD EN 374.
Eye protection	: Safety glasses. STANDARD EN 166.
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment. Wear a respirator conforming to EN140 with Type A/P2 filter or better. Standard EN 149.



Other information	: Do not eat, drink or smoke during use. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
-------------------	--

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Pale yellow.
Odour	: Fruity.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 18 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 0.96 g/cm ³
Solubility	: In water, material soluble.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No polymerization.

10.4. Conditions to avoid

No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Oxidizing agent.

10.6. Hazardous decomposition products

No decomposition if stored normally.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1. Information on toxicological effects**

Acute toxicity : Ingestion of large amounts may cause discomfort.

ethanol, ethyl alcohol (64-17-5)	
LD50 oral rat	7060 mg/kg
LD50 dermal rabbit	> 20000 mg/m ³
LC50 inhalation rat (Vapours - mg/l/4h)	124.7 mg/l/4h

2-hydroxyethyl methacrylate (868-77-9)	
LD50 oral rat	5050 mg/kg
LD50 dermal rabbit	> 3000 mg/kg

Skin corrosion/irritation : Causes skin irritation.
 Serious eye damage/irritation : Causes serious eye irritation.
 Respiratory or skin sensitisation : May cause an allergic skin reaction.
 Germ cell mutagenicity : Not classified
 Carcinogenicity : Not classified
 Reproductive toxicity : Not classified
 Specific target organ toxicity (single exposure) : Not classified
 May cause respiratory irritation
 Specific target organ toxicity (repeated exposure) : Not classified
 Aspiration hazard : Not classified

SECTION 12: ECOLOGICAL INFORMATION**12.1. Toxicity**

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

ethanol, ethyl alcohol (64-17-5)	
LC50 fish 1	13500 mg/l (96 hours - Pimephales promelas)
EC50 Daphnia 1	54000 mg/l (48 hours - Daphnia magna)
IC50 algae	> 10.9 mg/l (IC50, 72 hours - Skeletonema costatum)

2-hydroxyethyl methacrylate (868-77-9)	
LC50 fish 1	227 mg/l (96 hours - Pimephales promelas)

12.2. Persistence and degradability

OPTIBOND FL PRIMER	
Persistence and degradability	No data available.

ethanol, ethyl alcohol (64-17-5)	
BOD (% of ThOD)	≥ 0.4 % ThOD BOD5/COD
Biodegradation	85 % (28 days, method: OECD 301D)

2-hydroxyethyl methacrylate (868-77-9)	
Biodegradation	84 % (OECD 301D method)

12.3. Bioaccumulative potential

OPTIBOND FL PRIMER	
Bioaccumulative potential	No data.

2-hydroxyethyl methacrylate (868-77-9)	
Bioconcentration factor (BCF REACH)	1,3 - 1,5
Log Pow	0.47

12.4. Mobility in soil

OPTIBOND FL PRIMER	
Ecology - soil	soluble in water.

12.5. Results of PBT and vPvB assessment

OPTIBOND FL PRIMER	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

12.6. Other adverse effects

Other adverse effects : None to our knowledge.

Additional information : No other effects known

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Regional legislation (waste) : Dispose as hazardous waste.
 Waste treatment methods : Recover the product with absorbent material. Dispose of contents/container in accordance with licensed collector's sorting instructions.
 Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
 Ecology - waste materials : Avoid release to the environment.
 European List of Waste (LoW) code : 18 01 06* - chemicals consisting of or containing dangerous substances

SECTION 14: TRANSPORT INFORMATION

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 1170
 UN-No. (IMDG) : 1170
 UN-No. (IATA) : 1170
 UN-No. (RID) : 1170

14.2. UN proper shipping name

Proper Shipping Name (ADR) : ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
 Proper Shipping Name (IMDG) : ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
 Proper Shipping Name (IATA) : Ethanol solution
 Proper Shipping Name (RID) : ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
 Transport document description (ADR) : UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) (ethanol, ethyl alcohol(64-17-5)), 3, III, (D/E)
 Transport document description (IMDG) : UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 3
 Danger labels (ADR) : 3



IMDG

Transport hazard class(es) (IMDG) : 3
 Danger labels (IMDG) : 3



IATA

Transport hazard class(es) (IATA) : 3
 Hazard labels (IATA) : 3



RID

Transport hazard class(es) (RID) : 3
 Danger labels (RID) : 3


**14.4. Packing group**

Packing group (ADR)	: III
Packing group (IMDG)	: III
Packing group (IATA)	: III
Packing group (RID)	: III

14.5. Environmental hazards

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

14.6. Special precautions for user**- Overland transport**

Classification code (ADR)	: F1
Special provisions (ADR)	: 144, 601
Limited quantities (ADR)	: 5l
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T2
Portable tank and bulk container special provisions (ADR)	: TP1
Tank code (ADR)	: LGBF
Vehicle for tank carriage	: FL
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Operation (ADR)	: S2
Hazard identification number (Kemler No.)	: 30
Orange plates	: 

Tunnel restriction code (ADR)	: D/E
EAC code	: •2YE

- Transport by sea

Special provisions (IMDG)	: 144, 223
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T2
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-D
Stowage category (IMDG)	: A
Properties and observations (IMDG)	: Colourless, volatile liquids. Pure ETHANOL: flashpoint 13°C c.c. Explosive limits: 3.3% to 19% Miscible with water.

- Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y344
PCA limited quantity max net quantity (IATA)	: 10L

PCA packing instructions (IATA)	:	355
PCA max net quantity (IATA)	:	60L
CAO packing instructions (IATA)	:	366
CAO max net quantity (IATA)	:	220L
Special provisions (IATA)	:	A3, A58, A180
ERG code (IATA)	:	3L

Rail transport

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: REGULATORY INFORMATION**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU-Regulations**

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

National regulations

EC-regulation 453/2010/EC, 1907/2006/EC (REACH), 1272/2008/EC (CLP), 790/2009/EC. Transport of dangerous goods (ADR/RID, IMDG, IATA/ICAO). Workplace exposure limits.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

SECTION 16: OTHER INFORMATION

Indication of changes:

Regulatory information.

2.1	Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]	Removed	
3.2	Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]	Removed	

Data sources : EC-regulation 453/2010/EC, 1907/2006/EC (REACH), 1272/2008/EC (CLP), 790/2009/EC. Transport of dangerous goods (ADR/RID, IMDG, IATA/ICAO). Workplace exposure limits.

Date of issue : 15/04/2003

Revision date : 17/09/2015

Supersedes : 20/05/2014

Signature : A. Åsebø Murel

Full text of H- and EUH-statements:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, category 1
H225	Highly flammable liquid and vapour
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation

The information in this safety data sheet is based on information from the manufacturer/supplier, present European and national legislation, and presupposes that the product is used within the specified area of application.