

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.07.2023

Version number 5 (replaces version 4)

Revision: 19.07.2023

- **1.1 Product identifier**
- **Trade name: Omnidisher MC**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Cleaning material/ Detergent
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
PRISMAN GmbH
Otto Hahn Ring 6-18
D-64653 Lorsch
Germany
- **Further information obtainable from:**
Abteilung Produktsicherheit
Alexander.Metz@prisman.de
- **1.4 Emergency telephone number:** ++49 (0)6251 866980-0, Mo - Fr 8-18 Uhr

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
Eye Irrit. 2 H319 Causes serious eye irritation.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the GB CLP regulation.
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard-determining components of labelling:**
2,2'-iminodiethanol
- **Hazard statements**
H319 Causes serious eye irritation.
- **Precautionary statements**
P280 Wear protective gloves / eye protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.
- **Additional information:**
Contains Subtilisin. May produce an allergic reaction.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 57-55-6 EINECS: 200-338-0 RTECS: TY 2000000 Reg.nr.: 01-2119456809-23-xxxx	Propylene glycol substance with a Community workplace exposure limit	10-25%
--	---	--------

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 20.07.2023

Version number 5 (replaces version 4)

Revision: 19.07.2023

Trade name: Omnidisher MC

(Contd. of page 1)

CAS: 111-42-2 EINECS: 203-868-0 Index number: 603-071-00-1 RTECS: KL 2975000 Reg.nr.: 01-2119488930-28-xxxx	2,2'-iminodiethanol ☠ STOT RE 2, H373 ☹ Eye Dam. 1, H318 ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315	2.5-10%
CAS: 112-34-5 EINECS: 203-961-6 Index number: 603-096-00-8 RTECS: KJ 9100000 Reg.nr.: 01-2119475104-44-xxxx	2-(2-butoxyethoxy)ethanol ⚠ Eye Irrit. 2, H319	2.5-10%
CAS: 9014-01-1 EINECS: 232-752-2 Index number: 647-012-00-8 RTECS: CO 9550000	Subtilisin ☠ Resp. Sens. 1, H334 ☹ Eye Dam. 1, H318 ⚠ Skin Irrit. 2, H315; STOT SE 3, H335	≤2.5%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Generally the product does not irritate the skin.
Immediately rinse with water.
If skin irritation continues, consult a doctor.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
Seek medical treatment.
Induce vomiting only, if affected person is fully conscious.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.07.2023

Version number 5 (replaces version 4)

Revision: 19.07.2023

Trade name: **Omnidisher MC**

(Contd. of page 2)

See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Keep container tightly sealed.
Store in a cool place.
Protect from frost.
Store in upright position.
Protect from heat and direct sunlight.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

· **Ingredients with limit values that require monitoring at the workplace:**

57-55-6 Propylene glycol

WEL Long-term value: 474* 10** mg/m³, 150* ppm
*total vapour and particulates **particulates

112-34-5 2-(2-butoxyethoxy)ethanol

WEL Short-term value: 101.2 mg/m³, 15 ppm
Long-term value: 67.5 mg/m³, 10 ppm

9014-01-1 Subtilisin

WEL Long-term value: 0.00004 mg/m³
Sen

· **Additional information:** The lists valid during the making were used as basis.

8.2 Exposure controls

- **Appropriate engineering controls** No further data; see item 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.
- **Respiratory protection:** Not required.
- **Hand protection**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.07.2023

Version number 5 (replaces version 4)

Revision: 19.07.2023

Trade name: Omnidisher MC

(Contd. of page 3)

application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:**

Rubber gloves

- **For the permanent contact gloves made of the following materials are suitable:**

Polychloroprene - CR (0.5 mm): Breakthrough time > 4 h

Nitrile rubber/nitrile latex - NBR (0.35 mm): Breakthrough time > 4h

Butyl rubber - Butyl (0.5 mm): Breakthrough time > 8 h

Fluororubber - FKM (0.4 mm): Breakthrough time > 8 h

Polyvinyl chloride - PVC (0.5 mm): Breakthrough time > 4 h

This recommendation is based exclusively on the chemical compatibility and the test according to EN 374 under laboratory conditions.

Depending on the application, different requirements may arise. Therefore the

Therefore, the recommendations of the protective glove supplier must also be taken into account.

- **As protection from splashes gloves made of the following materials are suitable:**

Butyl rubber, BR

Nitrile rubber, NBR

- **Eye/face protection**



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Physical state**

Fluid

- **Colour:**

Colourless

- **Odour:**

Characteristic

- **Odour threshold:**

Not determined.

- **Melting point/freezing point:**

Undetermined.

- **Boiling point or initial boiling point and boiling range**

100 °C

- **Flammability**

Not applicable.

- **Lower and upper explosion limit**

- **Lower:**

Not determined.

- **Upper:**

Not determined.

- **Flash point:**

Not applicable.

- **Decomposition temperature:**

Not determined.

- **pH (10 g/l) at 20 °C**

10.3

- **Viscosity:**

- **Kinematic viscosity**

Not determined.

- **Dynamic:**

Not determined.

- **Solubility**

- **water:**

Fully miscible.

- **Partition coefficient n-octanol/water (log value)**

Not determined.

- **Vapour pressure at 20 °C:**

23 hPa

- **Density and/or relative density**

- **Density at 20 °C:**

1.02 g/cm³

- **Relative density**

Not determined.

- **Vapour density**

Not determined.

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 20.07.2023

Version number 5 (replaces version 4)

Revision: 19.07.2023

Trade name: **Omnidisher MC**

(Contd. of page 4)

- **9.2 Other information**
- **Appearance:**
- **Form:** Fluid
- **Important information on protection of health and environment, and on safety.**
- **Auto-ignition temperature:** Product is not selfigniting.
- **Explosive properties:** Product does not present an explosion hazard.
- **Solvent content:**
- **VOC (EC)** 0 %
- **Change in condition**
- **Evaporation rate** Not determined.

- **Information with regard to physical hazard classes**
- **Explosives** Void
- **Flammable gases** Void
- **Aerosols** Void
- **Oxidising gases** Void
- **Gases under pressure** Void
- **Flammable liquids** Void
- **Flammable solids** Void
- **Self-reactive substances and mixtures** Void
- **Pyrophoric liquids** Void
- **Pyrophoric solids** Void
- **Self-heating substances and mixtures** Void
- **Substances and mixtures, which emit flammable gases in contact with water** Void
- **Oxidising liquids** Void
- **Oxidising solids** Void
- **Organic peroxides** Void
- **Corrosive to metals** Void
- **Desensitised explosives** Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

ATE (Acute Toxicity Estimates)

Oral	LD50	10,256 mg/kg (rat)
------	------	--------------------

111-42-2 2,2'-iminodiethanol

Oral	LD50	500 mg/kg (ATE)
------	------	-----------------

- **Serious eye damage/irritation** Causes serious eye irritation.

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 20.07.2023

Version number 5 (replaces version 4)

Revision: 19.07.2023

Trade name: **Omnidisher MC**

(Contd. of page 5)

· **11.2 Information on other hazards**· **Endocrine disrupting properties**

None of the ingredients is listed.

* **SECTION 12: Ecological information**· **12.1 Toxicity**· **Aquatic toxicity:****57-55-6 Propylene glycol**

EC50 18,340 mg/l (daphnia)

LC50/96h 40,613 mg/l (fish)

111-42-2 2,2'-iminodiethanol

LC50/96h 2.2 mg/l (A)

1,460 mg/l (fish)

LC50/48h 55 mg/l (daphnia)

112-34-5 2-(2-butoxyethoxy)ethanol

EC50 >100 mg/l (A)

>100 mg/l (daphnia)

LC50/96h >100 mg/l (fish)

· **12.2 Persistence and degradability** No further relevant information available.· **12.3 Bioaccumulative potential** No further relevant information available.· **12.4 Mobility in soil** No further relevant information available.· **12.5 Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.· **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· **12.7 Other adverse effects**· **Additional ecological information:**· **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

* **SECTION 13: Disposal considerations**· **13.1 Waste treatment methods**· **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packaging:**· **Recommendation:** Disposal must be made according to official regulations.· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.* **SECTION 14: Transport information**· **14.1 UN number or ID number**· **ADR, ADN, IMDG, IATA**

Void

· **14.2 UN proper shipping name**· **ADR, ADN, IMDG, IATA**

Void

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 20.07.2023

Version number 5 (replaces version 4)

Revision: 19.07.2023

Trade name: Omnidisher MC

(Contd. of page 6)

- | | |
|---|-----------------|
| · 14.3 Transport hazard class(es) | |
| · ADR, IMDG, IATA | |
| · Class | Void |
| · Label | - |
| · ADN/R Class: | Void |
| · 14.4 Packing group | |
| · ADR, IMDG, IATA | Void |
| · 14.5 Environmental hazards: | |
| · Marine pollutant: | No |
| · 14.6 Special precautions for user | |
| · Hazard identification number (Kemler code): | - |
| · EMS Number: | - |
| · 14.7 Maritime transport in bulk according to IMO instruments | Not applicable. |

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Labelling according to Regulation (EC) No 1272/2008**
GHS label elements
The product is classified and labelled according to the GB CLP regulation.
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard-determining components of labelling:**
2,2'-iminodiethanol
- **Hazard statements**
H319 Causes serious eye irritation.
- **Precautionary statements**
P280 Wear protective gloves / eye protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
H302 Harmful if swallowed.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

(Contd. on page 8)

-GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 20.07.2023

Version number 5 (replaces version 4)

Revision: 19.07.2023

Trade name: Omnidisher MC

(Contd. of page 7)

*H335 May cause respiratory irritation.**H373 May cause damage to organs through prolonged or repeated exposure.*· **Department issuing SDS:** *Abteilung Produktsicherheit*· **Contact:** *Hr. Dr. Metz*· **Abbreviations and acronyms:***ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)**IMDG: International Maritime Code for Dangerous Goods**IATA: International Air Transport Association**GHS: Globally Harmonised System of Classification and Labelling of Chemicals**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**VOC: Volatile Organic Compounds (USA, EU)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**Acute Tox. 4: Acute toxicity – Category 4**Skin Irrit. 2: Skin corrosion/irritation – Category 2**Eye Dam. 1: Serious eye damage/eye irritation – Category 1**Eye Irrit. 2: Serious eye damage/eye irritation – Category 2**Resp. Sens. 1: Respiratory sensitisation – Category 1**STOT SE 3: Specific target organ toxicity (single exposure) – Category 3**STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2*· *** Data compared to the previous version altered.**

GB