

freeprint® model

Revision date: 07.12.2018

Product code: 11125

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

freeprint® model

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Ligth-curing resin for the generative fabrication of dental models.

1.3. Details of the supplier of the safety data sheet

1.3. Details of the supplier of the se	alely uala sheel	
Company name:	DETAX GmbH & Co. KG	
Street:	Carl-Zeiss-Strasse	
Place:	D-76275 Ettlingen	
Telephone:	+49 7243/510-0	Telefax: +49 7243/510-100
e-mail:	post@detax.de	
Internet:	www.detax.de	
Responsible Department:	Emergency number:	
	+49 7243/510-0	
	This number is only obtainable	e during office hours (Monday - Thursday 8.00 a.m.
	- 5.00 p.m., Friday 8.00 a.m	4.00 p.m.)
1.4. Emergency telephone	+49 7243/510-0	
number:	This number is only obtainable	e during office hours (Monday - Thursday 8.00 a.m.
	- 5.00 p.m., Friday 8.00 - 4.00	p.m.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008 Hazard categories: Serious eye damage/eye irritation: Eye Irrit. 2 Respiratory or skin sensitisation: Skin Sens. 1 Hazardous to the aquatic environment: Aquatic Chronic 3 Hazard Statements: Causes serious eye irritation. May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

aliphatic urethane acrylate tripropyleneglycol diacrylate tetrahydrofurfuryl methacrylate THFMA purified grade diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide Ethyl-2-cyan-3 (4-hydroxy-3-methoxy-phenyl) acrylate

Signal word: Pictograms: Warning



Hazard statements

H317

May cause an allergic skin reaction.

according to Regulation (EC) No 1907/2006

freeprint® model Revision date: 07.12.2018 Product code: 11125 Page 2 of 9 H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects. **Precautionary statements** P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. P501 Dispose of contents/ container in accordance with local and national regulations.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of acrylic/ methacrylic resins with auxilliary matters.

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regu	ation (EC) No. 1272/2008	[CLP]	
	acrylated resin			10 - < 40 %
	Eye Irrit. 2; H319			
	aliphatic urethane acrylate			1 - < 15 %
	906-949-5		01-2120266262-	
	Skin Sens. 1B, Aquatic Chronic	2; H317 H411		
42978-66-5	tripropyleneglycol diacrylate			1 - < 10 %
	256-032-2		01-2119484613-34	
	Skin Irrit. 2, Eye Irrit. 2, Skin Sen H411	s. 1, STOT SE 3, Aquatic 0	Chronic 2; H315 H319 H317 H335	
2455-24-5	tetrahydrofurfuryl methacrylate T	HFMA purified grade		1 - < 15 %
	Repr. 2, Skin Irrit. 2, Eye Irrit. 2,	Skin Sens. 1, STOT SE 3; I	H361 H315 H319 H317 H335	
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)	phosphine oxide		0,1 - < 5 %
	278-355-8	015-203-00-X		
	Repr. 2, Skin Sens. 1B, Aquatic	Chronic 2; H361f H317 H4	11	
162881-26-7	phenyl bis(2,4,6-trimethylbenzoy	I)-phosphine oxide		0,1 - < 5 %
	423-340-5	015-189-00-5	01-2119489401-38	
	Skin Sens. 1, Aquatic Chronic 4;	H317 H413		
13373-29-0	Ethyl-2-cyan-3 (4-hydroxy-3-met	hoxy-phenyl) acrylate		< 1 %
	Skin Sens. 1; H317			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures



freeprint® model

Revision date: 07.12.2018

Product code: 11125

Page 3 of 9

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth immediately and drink plenty of water.

Seek immediately medical advice. Do not induce vomiting. In case of spontaneous vomiting take care of an unhindered flow out of the vomit (danger of suffocation).

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

freeprint® model

Revision date: 07.12.2018

Product code: 11125

Page 4 of 9

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels Keep container tightly closed.

Advice on storage compatibility

Keep away from spontaneous flammable or combustible substances.

Further information on storage conditions

Keep only in the original container in a dry and well-ventilated place, away from foodstuffs. Keep away from all kind of ligth. An inert gas blanket should not be applied, because the stability of the product depends on the presence of oxygen (air).

7.3. Specific end use(s)

Ligth-curing resin for the generative fabrication of dental models. For use by trained specialist staff.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable are gloves of the following material: Butyl caoutchouc (butyl rubber)

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour:	liquid: several shades, according to the product name faintly like esters	
		Test method
pH-Value:	not determined	
Changes in the physical state		
Melting point:	not determined	
Initial boiling point and boiling range:	not determined	
Flash point:	>100 °C	DIN 51755
Flammability Solid:	not applicable	



	freeprint® model	
Revision date: 07.12.2018	Product code: 11125	Page 5 of 9
Gas:	not applicable	
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Auto-ignition temperature Solid: Gas:	not applicable not applicable	
Decomposition temperature:	>=190 °C	
Oxidizing properties Not oxidizing.		
Vapour pressure: (at 20 °C)	<1 hPa	
Density (at 20 °C):	1,09 g/cm³	DIN 51757
Water solubility:	practically insoluble	
Solubility in other solvents not determined		
Partition coefficient:	not determined	
Vapour density:	not determined	
Evaporation rate:	not determined	
9.2. Other information		
Solid content:	not determined	

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Reacts with : strong oxidising agents, strong alcaline or acidic materials.

10.4. Conditions to avoid

Ultra-violet ligth and dayligth initiate polymerisation of the product. Therefore keep only in tigthly closed containers away from any sources of ligth at 15°C - 28°C / 59°F - 82 °F.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire, acrid acrylic fumes may occur.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met. For the product itself no toxicological data are available. In products with a comparable composition, a LD50 (orally, species rat) of > 5000 mg/kg has been found.



according to Regulation (EC) No 1907/2006

freeprint® model

Revision date: 07.12.2018

Product code: 11125

Page 6 of 9

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
	acrylated resin					
	oral	LD50 >2 mg/kg	2000	Rat		
	dermal	LD50 >2 mg/kg	2000	Rabbit		
42978-66-5	tripropyleneglycol diacryla	ate				
	oral	LD50 62 mg/kg	200	Rat		
	dermal	LD50 >2 mg/kg	2000	Rabbit		
75980-60-8	diphenyl(2,4,6-trimethylbe	enzoyl)phosphine	e oxide			
	oral	LD50 >5 mg/kg	5000	Rat		
	dermal	LD50 >2 mg/kg	2000	Rat		
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide					
	oral	LD50 >2 mg/kg	2000	Rat	OECD 401	
	dermal	LD50 >2 mg/kg	2000	Rat	OECD 402	

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

May cause an allergic skin reaction. (aliphatic urethane acrylate; tripropyleneglycol diacrylate; tetrahydrofurfuryl methacrylate THFMA purified grade; diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide; phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide; Ethyl-2-cyan-3 (4-hydroxy-3-methoxy-phenyl) acrylate)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.



according to Regulation (EC) No 1907/2006

freeprint® model

Revision date: 07.12.2018

Product code: 11125

Page 7 of 9

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
42978-66-5	tripropyleneglycol diacrylate							
	Acute fish toxicity	LC50 mg/l	4,5-10	96 h	Leuciscus idus (golden orfe)			
	Acute algae toxicity	ErC50	>28 mg/l	72 h	Desmodesmus subspicatus.			
	Acute crustacea toxicity	EC50 mg/l	88,7		Daphnia magna (Big water flea)			
2455-24-5	tetrahydrofurfuryl methaci	ylate THFM	A purified gra	ade				
	Acute fish toxicity	LC50 mg/l	34,7	96 h		GESTIS		
75980-60-8	diphenyl(2,4,6-trimethylbe	enzoyl)phosp	ohine oxide	_				
	Acute algae toxicity	ErC50 mg/l	>2,01	72 h	Scenedesmus subspicatus			
	Acute crustacea toxicity	EC50 mg/l	3,53	48 h	Daphnia magna (Big water flea)			
	Acute bacteria toxicity	(>1000 m	ng/l)	3 h	Activated sludge			
162881-26-7	phenyl bis(2,4,6-trimethyll	penzoyl)-pho	osphine oxide	е				
	Acute fish toxicity	LC50 mg/l	>0,09	96 h	Brachydanio rerio (zebra-fish)	OECD 203		
	Acute algae toxicity	ErC50 mg/l	>0,26	72 h	Desmodesmus subspicatus.	OECD 201		
	Acute crustacea toxicity	EC50 mg/l	>1,175	48 h	Daphnia magna (Big water flea)	OECD 202		
	Crustacea toxicity	NOEC mg/l	>0,008	21 d	Daphnia magna (Big water flea)	OECD 211		
	Acute bacteria toxicity	(>100 mg	g/l)	3 h	OECD 209			

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation	·	-	
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide			
		0-10%	28	
	Not readily biodegradable (according to OECD criteria)			
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide			
	CO2 formation (% of the theoretical value). 1% 29			
	Not readily biodegradable (according to OECD criteria)			

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	3,1
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	5,8



freeprint® model

Revision date: 07.12.2018

Product code: 11125

Page 8 of 9

BCF

CAS No	Chemical name	BCF	Species	Source
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphi ne oxide	47-55	Cyprinus carpio (Common Carp)	
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	<5	Cyprinus carpio (Common Carp)	OECD 305

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

Not identivied as PBT/ vPvB substances

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:

14.2. UN proper shipping name:No dangerous14.3. Transport hazard class(es):No dangerous14.4. Packing group:No dangerous11.1. UN number:No dangerous14.2. UN proper shipping name:No dangerous

14.3. Transport hazard class(es):

14.4. Packing group:

Marine transport (IMDG)

14.1. UN number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.



according to Regulation (EC) No 1907/2006

freeprint® model

Revision date: 07.12.2018

Product code: 11125

Page 9 of 9

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Employment restrictions:

Water contaminating class (D): Skin resorption/Sensitization:

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). 3 - highly water contaminating Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	ssification procedure	
Eye Irrit. 2; H319	Calculation method	
Skin Sens. 1; H317	Calculation method	
Aquatic Chronic 3; H412	Calculation method	

Relevant H and EUH statements (number and full text)

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singulary responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

H319 Causes serious eye irritation.